

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**





(12) UK Patent Application (19) GB (11) 2 097 755 A

- (21) Application No 8208515
 (22) Date of filing
 23 Mar 1982
 (30) Priority data
 (31) 8113442
 (32) 1 May 1981
 (33) United Kingdom (GB)
 (43) Application published
 10 Nov 1982
 (51) INT CL³ B65D 88/22
 (52) Domestic classification
 B8K 2K4 2K6 2L H
 (56) Documents cited
 GB A 2009098
 GB 1475827
 GB 0963138
 (58) Field of search
 B8K
 (71) Applicant
 Mulox IBC Limited
 St Alphage House
 Fore Street
 London EC2Y 5DH
 (72) Inventor
 Charles Sydney
 Futerman
 (74) Agents
 P R Wharton and Co
 11th Floor Tower House
 Merriion Way
 Leeds LS2 8PB

(54) Container bag

(57) A container bag comprises side walls 22 and a base, at least two of the side walls 22 extending above the general level of the bag and being folded back upon themselves to produce hem portions 28 through which passes a single continuous loop 30 of webbing whereby to form lifting loops for the container bag.





2/2

Fig. 5.




Fig. 6.

